

This product (wrought copper and copper alloy) are solid metal products, and the obligation to submit SDS documents according to the Japanese Pollutant Release and Transfer Register (PRTR) law and the Japanese Industrial Safety and Health Law (for chemical substances) does not apply.

1. Chemical product and company identification

1-1. Name of chemical substance (Product Name): See table below.

(Sheet, strip, bar, wire and pipe: pure copper and copper alloy of 2 or 3 elements targeting only copper element)

| Alloy Group | Corresponding JIS No. | Alloy Name | Alloy No. | Shape | Substance Classification |
|-------------|-----------------------|--------------------|-----------|-------|--------------------------|
| Cu Group | H3250 | Tough pitch copper | C1100 | bar | single |

1-2. Company Information

Company name: Gonda Metal Industry Co., Ltd.
 Address: 1-1-16, Miyashimo, Chuo, Sagamihara, Kanagawa, 252-0212 Japan
 Department: Quality control section Supervisors: Hitoshi Kawasaki(Position: Manager)
 Tel: +81-42-700-0222 Fax: +81-42-700-0666
 Emergency contact: Tel:+81-42-700-0222

(Creation date: 10/10/2017)

2. Hazards identification

This product (wrought copper and copper alloy) is a molded product, and so is outside the scope of GHS classification. Further, as there is no alloy information, GHS classification information in units of the configuration elements are referenced for the description.

2-1: Copper GHS classification

Physical hazards:

| | |
|--|---------------------------------|
| Explosives: | Outside scope of classification |
| Flammable gases: | Outside scope of classification |
| Flammable aerosols: | Outside scope of classification |
| Oxidizing gases: | Outside scope of classification |
| Gases under pressure: | Outside scope of classification |
| Flammable liquids: | Outside scope of classification |
| Flammable solids: | Cannot classify |
| Self-reactive substances and mixtures: | Outside scope of classification |

| | | |
|------------------------|---|---------------------------------|
| | Pyrophoric liquids: | Outside scope of classification |
| | Pyrophoric solids: | Cannot classify |
| | Self-heating substances and mixtures: | Cannot classify |
| | Substances and mixtures which, in contact with water, emit flammable gases: | Cannot classify |
| | Oxidizing liquids: | Outside scope of classification |
| | Oxidizing solids: | Outside scope of classification |
| | Organic peroxides: | Outside scope of classification |
| | Corrosive to metals: | Cannot classify |
| Health hazards: | | |
| | Acute toxicity (oral): | Cannot classify |
| | Acute toxicity (dermal): | Cannot classify |
| | Acute toxicity (inhalation: gases): | Outside scope of classification |
| | Acute toxicity (inhalation: vapors): | Outside scope of classification |
| | Acute toxicity (inhalation: dusts): | Cannot classify |
| | Acute toxicity (inhalation: mists): | Cannot classify |
| | Skin corrosion/irritation: | Cannot classify |
| | Serious eye damage/eye irritation: | Cannot classify |
| | Respiratory sensitization: | Cannot classify |
| | Skin sensitization: | Cannot classify |
| | Germ cell mutagenicity: | Cannot classify |
| | Carcinogenicity: | Outside classification |
| | Reproductive toxicity: | Cannot classify |
| | Specific target organ toxicity - single exposure: | Class 3 (airway irritant) |
| | Specific target organ toxicity - repeated exposure: | Class 1 (liver) |
| | Aspiration hazard: | Cannot classify |
| Environmental hazards: | Acute aquatic toxicity: | Cannot classify |
| | Chronic aquatic toxicity: | Class 4 |



Pictgram

Signal word: Danger

Hazard statement: Risk of irritation to respiratory organs
 Liver damage due to long-term or repeated exposure
 Risk of harm due to long-term effects

Precautionary statement: [Prevention]
 Do not inhale the dust.
 Avoid discharging into the environment.

[Response]
 If inhaled, move to a location with fresh air, and rest in a posture that facilitates breathing.
 If feeling unwell, consult a physician to receive diagnosis and treatment.

[Disposal]
 Recycling is possible, so if recovering and discarding, entrust the work to a waste disposal specialist who is licensed by the prefectural governor.

3. Composition/information on ingredients

3-1. Substance or mixtures: See the table in 1-1.

3-2. Chemical name: Alloys and alloy name are shown in the table in 1-1.

Chemical composition: See the table below

3-3. Chemical formula or structural formula: None

3-4. Ordinance No. (PRTR Law and Industrial Safety and Health Law): See the table below

3-5. CAS No.: See the table below

3-6. Official publication reference No.: N/A

| 3.2. Components | 3.2 Composition (mass %) | 3.4 Ordinance No. (Only Substances Subject to SDS Publication) | | | | 3.5. CAS No. |
|-----------------|--------------------------|--|-----------|-------------------------------------|-----------|--------------|
| | | PRTR Law | | Industrial Safety and Health Law | | |
| | | 0.1% max | 1% max | 0.1% max | 1% max | |
| Copper (Cu) | 99.90 min | --- | --- | 379 | --- | 7440-50-8 |

4. First-aid measures

There is no information for mixtures (alloys), so information in units of the configuration elements are referenced for the description.

4-1. Copper

If inhaled: Move the victim to a location with fresh air, and make sure they rest in a pose that facilitates respiration.

If feeling unwell, consult a physician and receive treatment.

If on skin: Remove contaminated clothing.

Wash skin promptly.

If feeling unwell, consult a physician and receive treatment.

Wash contaminated clothing before reuse.

If in eyes: Irrigate carefully for several minutes with water. Next, if wearing contact lenses that can be removed easily, remove the contact lenses. Thereafter, continue to wash.

Consult a physician and receive treatment.

If swallowed: Rise out the mouth promptly, and immediately consult a physician for treatment.

Anticipated acute effects and anticipated delayed effects:

If inhaled: Cough, headache, shortness of breath, pharyngeal pain, stomach pain, nausea, and vomiting.

If on skin: Reddening

If in eyes: Reddening, pain

Delayed symptom: Metal fume fever

Protection for first-aid providers:

First-aid providers must wear protective equipment appropriate for the circumstances.

Special notes to an attending physician:

Rest and medical observation over time are indispensable.

5. Fires-fighting measures

There is no information for mixtures (alloys), so information in units of the configuration elements are referenced for the description.

5-1. Copper

Extinguishing media: Special powder retardants and dry sand

Unsuitable extinguishing media:

Water jet, foam extinguisher, and CO₂

Specific hazards: There is a risk of irritant, poisonous, or corrosive gas or fumes being emitted by fire.

Using water on metal fires may emit hydrogen gas.

Specific extinguishing methods:

Move the container from the region on fire if there is no danger.

Ideally, sealant methods and oxygen starvation methods should be used for metal fires.

Protection of firefighters: When firefighting, wear suitable breathing equipment and chemical protective clothing.

6. Accidental release measures

There is no information for mixtures (alloys), so information in units of the configuration elements are referenced for the description.

6-1. Copper

Personnel precautions, protective equipment, and emergency procedures:

Prohibit admission to all non-essential personnel.

Do not touch or walk through any leaking material.

Workers must wear protective equipment (See "8. Exposure prevention and protection measures"), avoid gas and fume inhalation, and contact with the eyes and skin.

Environmental precautions:

Be careful not to discharge into rivers, or to affect the environment.

Recovery and neutralization:

Sweep together any spills and collect in a sealable container before discarding

Methods and materials for containment and methods for cleaning up:

Stop the leak if there is no danger.

Secondary disaster prevention measures:

Promptly remove all ignition sources and flammable substances. (Smoking, fireworks, and naked flames in the vicinity are prohibited.)

Prevent inflow to drainage ditches, sewers, basements, or sealed locations.

7. Handling and storage

There is no information for mixtures (alloys), so information in units of the configuration elements are referenced

for the description.

7-1. Copper

<Handling>

Technical measures: Install equipment measures as described in "8. Exposure controls and personal protection", and wear protective equipment.

Local / total ventilation: Implement local ventilation and total ventilation as described in "8. Exposure controls and personal protection".

Precautions for safe handling:

Conforming to "2. Hazards identification".

Prevention of contact: Refer to "10. Stability and reactivity".

<Storage>

Incompatible materials: Refer to "10. Stability and reactivity".

Storage conditions: Avoid locations with sudden temperature changes and high humidity when storing.

Container and packing materials:

Although there are no packing or container regulations, place in a sealable, undamaged container.

8. Exposure controls and personal protection

There is no information for mixtures (alloys), so information in units of the configuration elements are referenced for the description.

8-1. Copper

Administrative level: Not specified.

Permissible limit (Exposure limits and biological exposure indices)

- Japan Society for Occupational Health (2005 version):

Not specified.

- ACGIH (2005 version): TLV-TWA 0.2 mg/m³ (as fumes)
TLV-TWA 1 mg/m³ (as dust or mist)

Facility measures: To maintain the concentrations in air at or below the recommended tolerable concentrations, seal all processes, and use local air filters and other equipment countermeasures.

Protective equipment

- Respiratory protection: Wear suitable respirator protective equipment.
- Hand protection: Wear suitable protective gloves.

- Eye protection: Protective goggles (regular glasses, regular glasses with lateral plates, or goggles)
- Skin and body protection:

Wear protective equipment such as protective clothing and safety boots, etc.

9. Physical and chemical properties: Fields marked with “---” in the table indicates no data.

a) Product nomenclature characteristics

| | Oxygen-free copper |
|--|--------------------------|
| 9-1. Appearance of a chemical product | Lustrous red-pink solid |
| • physical state and colour | |
| • form | Depends on product shape |
| • odour | None |
| 9-2. pH, with indication of the concentrations | --- |
| 9-4. Decomposition temperature | --- |
| 9-5. Flashpoint | --- |
| 9-6. Upper/lower flammability | --- |
| 9-7. Explosive limit | --- |
| 9-11. Solubility(ies) | --- |
| 9-12. N-octanol/water partition coefficient | --- |
| 9-13. Other data (Radioactivity, bulk density, etc.) | --- |

b) Alloy characteristics

| | Tough pitch copper |
|-------------------------|--------------------|
| 9-3. Melting point (°C) | 1083 |
| 9-10. Relative density | 8.89-.94 |

c) Configuration Element Characteristics

| | Cu |
|---|------|
| 9-8. Vapor pressure (Pa) | --- |
| 9-9. Vapor temperature (Boiling point) (°C) | 2582 |

10. Stability and reactivity

There is no information for mixtures (alloys), so information in units of the configuration elements are referenced for the description.

10-1. Copper

Stability: Turns green when exposed to damp air.
Compounds sensitive to shock are formed by acetylene compounds, ethylene oxides, and azides.

Possibility of hazardous reactions:

Reacts with oxides (chlorates, bromates, and iodates, etc.), so there is a risk of explosion.

Conditions to avoid: Contact with humidity and hazardous mixtures.

Incompatible materials: Acetylene compounds, ethylene oxides, azides, oxides (chlorates, bromates, and iodates, etc.)

Hazardous decomposition products:

CO, CO₂, and copper fumes when burned.

11. Toxicological information

There is no information for mixtures (alloys), so information in units of the configuration elements are referenced for the description.

11-1. Copper

Acute toxicity: Oral: Rabbits LD₅₀ 120 µg/kg³⁾

Skin irritation/corrosion: Contact with skin causes reddening symptoms.¹⁴⁾

Eye damage/irritation: Contact with eyes causes reddening. Causes painful symptoms.¹⁴⁾

Acts as an irritant.¹⁰⁾

Respiratory or skin sensitization:

Respiratory organ sensitization: no data.

Skin sensitization: The Japan Society for occupational health classified this as skin sensitization group 2 (a substance thought probably to sensitize humans), but The Japanese Society for Dermatoallergology and Contact Dermatitis has no classification.

Reproductive cell mutagenicity:

No data.

Carcinogenicity: EPA classifies this as group D (substance that cannot be classified as carcinogenic to humans).

Reproductive toxicity: No data.

Specific target organ toxicity (single exposure):

Fumes irritate the upper airway.¹³⁾

Thought to be an airway irritant.

Risk of irritation to the respiratory organs (class 3)

Specific target organ toxicity (repeated exposure):

Hepatomegaly identified in workers exposed to high airborne concentrations (estimated ingestion 200 mg/day).¹¹⁾

Liver damage due to long-term or repeated exposure (class 1)

Aspiration hazard: No data.

12. Ecological information

There is no information for mixtures (alloys), so information in units of the configuration elements are referenced for the description.

12-1. Copper

Acute aquatic environmental harm:

Cannot classify due to insufficient data.

Chronic aquatic environmental harm:

Despite the existence of L(E)C₅₀≤100 mg/L data, as this is a metal and its actions in water are unknown, it was designated class 4.

13. Disposal considerations

There is no information for mixtures (alloys), so information in units of the configuration elements are referenced

for the description.

13-1. Copper

Waste from residues: Follow the relevant laws and local disposal regulations. Entrust disposal to and industrial waste contractor or local public body that is authorized by the prefectural governor where available. If outsourcing waste disposal, thoroughly notify the contractors of the dangers and harmfulness before outsourcing.

Contaminated containers and contaminated packaging:

Either clean and recycle the containers, or dispose of them suitably according to the relevant laws and regulations, and local government standards.

When disposing of empty containers, make sure to discard the contents completely.

14. Transport information

There is no information for mixtures (alloys), so information in units of the configuration elements are referenced for the description.

14-1. Copper

<International regulations>

Information on marine transport regulation: Non-dangerous substance

• UN number: Not applicable

Information on air transport regulation: Non-dangerous substance

• UN number: Not applicable

<Japanese regulations>

Information on road transport regulation: No special regulations

Information on marine transport regulation: Non-dangerous substance

Information on air transport regulation: Non-dangerous substance

15. Regulatory information

This product (copper and copper alloy) are solid metal products, and the obligation to submit SDS documents according to the Pollutant Release and Transfer Register (PRTR) law and the Industrial Safety and Health Law (for chemical substances) does not apply.

The configuration element unit information is described below for reference.

15-1. Copper

Occupational Health and Safety Law (OHSL):

Materials to be notified

(Law Paragraph 57, and edict Paragraph 18.2 Table 9)

(Edict No. 379)

16. Other information (References)

16-1. Copper

<References>

- 1) Ullmanns (E) (5th edition, 1995)
- 2) Contamination Dangers Handbook (2nd edition, 1997)
- 3) RTECS (2005)
- 4) ICSC (J) (1993)
- 5) Sax (8th edition, 1992)
- 6) Lange (14th edition 1992)
- 7) Gangolli (1st edition 1993) vol. 2
- 8) Lide (85th edition, 2004-2005)
- 9) SRC (Access on Jul 2005)
- 10) PATTY (4th edition, 1994)
- 11) EHC200 (1998)
- 12) EPA (IRIS (Access on Jul 2005))
- 13) ACGIH (7th edition, 2001)
- 14) Handbook of Danger and Harmful Chemical Substances, Japan Industrial Safety and Health Association (1992)
- 15) Booklet of the Threshold Limit Values and Biological Exposure Indices, 6th edition; Japan Chemical Industry Ecology-Toxicology & Information Center (2004)
- 16) GHS Classification Results (Sumika Technical Information Service, Inc.)
- 17) Japan Chemical Industry Association, "Emergency Measures and Policies, Container Yellow Card (Labeling)"

- 18) Japan Chemical Industry Association, "Chemical Substances Control Law Regulations Search System" (CD-ROM) (2005)
- 19) Japan Chemical Database Ltd., "Comprehensive Chemicals Database" (2005)
- 20) Safety Database (revised and expanded supplementary edition, 1997)
- 21) JETOC, "Collection of Existing Chemical Substance Safety Inspection Data for the Chemical Substances Control Law"
- 22) Ministry of the Environment, "Chemical Substances Ecological Impact Tests"

The Safety Data Sheet is supplied to workers handling hazardous chemical products as reference information to assure safe handling. Make sure the workers engaged in handling understand the importance of suitable measures depending the on individual handling circumstances, etc., and that they are themselves responsible for referencing the SDS before use. Consequently, this datasheet is not a guarantee of safety.

