

This product (copper and copper-based alloy products) are solid metal products, and the obligation to submit SDS documents according to the Pollutant Release and Transfer Register (PRTR) law and the Industrial Safety and Health Law (for chemical substances) does not apply.

1. Chemical product and company identification

1-1. Name of chemical substance (product name): See table below.

Alloy group	Corresponding JIS No.	Alloy name	Alloy No.	Shape	Substance classification
Cu-Pb-Zn Group	H 3250	Free-cutting brass	C3604	Bar	Mixture (alloy)

1-2. Company Information

Company name: Gonda Metal Industry Co., Ltd.
 Address: 1-1-16, Miyashimo, Chuo, Sagamihara, Kanagawa, 252-0212 Japan
 Department: Quality control section Supervisors: Hitoshi Kawasaki(Position: Manager)
 Tel: +81-42-700-0222 Fax: +81-42-700-0666
 Emergency contact: Tel:+81-42-700-0222

(Created date: 10/10/2017)

2. Hazards identification

This product (wrought copper and copper alloy) is a molded product, and so is outside the scope of GHS classification. Further, as there is no alloy information, GHS classification information in units of the configuration elements are referenced for the description.

2-1: Copper: GHS classification

Physical hazards:	Explosives:	Outside scope of classification
	Flammable gases:	Outside scope of classification
	Flammable aerosols:	Outside scope of classification
	Oxidizing gases:	Outside scope of classification
	Gases under pressure:	Outside scope of classification
	Flammable liquids:	Outside scope of classification
	Flammable solids:	Cannot classify
	Self-reactive substances and mixtures:	Outside scope of classification
	Pyrophoric liquids:	Outside scope of classification
	Pyrophoric solids:	Cannot classify

	Self-heating substances and mixtures:	Cannot classify
	Substances and mixtures which, in contact with water, emit flammable gases:	Cannot classify
	Oxidizing liquids:	Outside scope of classification
	Oxidizing solids:	Outside scope of classification
	Organic peroxides:	Outside scope of classification
	Corrosive to metals:	Cannot classify
Health hazards:	Acute toxicity (oral):	Cannot classify
	Acute toxicity (dermal):	Cannot classify
	Acute toxicity (inhalation: gases):	Outside scope of classification
	Acute toxicity (inhalation: vapors):	Outside scope of classification
	Acute toxicity (inhalation: dusts):	Cannot classify
	Acute toxicity (inhalation: mists):	Cannot classify
	Skin corrosion/ irritation:	Cannot classify
	Serious eye damage/eye irritation:	Cannot classify
	Respiratory sensitization:	Cannot classify
	Germ-cell mutagenicity:	Cannot classify
	Carcinogenicity:	Outside classification
	Reproductive toxicity:	Cannot classify
	Specific target organ toxicity-single exposure):	Class 3 (airway irritant)
	Specific target organ toxicity-repeated exposure):	Class 1 (liver)
	Aspiration hazard:	Cannot classify
Environment hazards:	Acute aquatic toxicity:	Cannot classify
	Chronic aquatic toxicity:	Class 4

Label elements

Pictogram



Signal word:

Danger

Hazard statement:

Risk of irritation to respiratory organs

Nerve damage due to long-term or repeated exposure

Risk of harm due to long-term effects

Precautionary statement: [Prevention]

Do not inhale the dust.

Avoid discharging into the environment.

[Response]

If inhaled, move to a location with fresh air, and rest in a posture that facilitates breathing.

If feeling unwell, consult a physician to receive diagnosis and treatment.

[Disposal]

Recycling is possible, so if recovering and discarding, entrust the work to a waste disposal specialist who is licensed by the prefectural governor.

2-2. Lead: GHS classification

Physical hazards:	Explosives:	Outside scope of classification
	Flammable gases:	Outside scope of classification
	Flammable aerosols:	Outside scope of classification
	Oxidizing gases:	Outside scope of classification
	Gases under pressure:	Outside scope of classification
	Flammable liquids:	Outside scope of classification
	Flammable solids:	Outside classification
	Self-reactive substances and mixtures:	Outside scope of classification
	Pyrophoric liquids:	Outside scope of classification
	Pyrophoric solids:	Outside classification
	Self-heating substances and mixtures:	Outside classification
	Substances and mixtures which, in contact with water, emit flammable gases:	Outside classification
	Oxidizing liquids:	Outside scope of classification
	Oxidizing solids:	Outside scope of classification
	Organic peroxides:	Outside scope of classification
	Corrosive metals:	Cannot classify
Health hazards:	Acute toxicity (oral):	Cannot classify
	Acute toxicity (dermal):	Cannot classify
	Acute toxicity (inhalation: gases):	Outside scope of classification

Acute toxicity (inhalation: vapors):	Outside scope of classification
Acute toxicity (inhalation: dusts):	Cannot classify
Acute toxicity (inhalation: mists):	Cannot classify
Skin corrosiveness/irritation:	Cannot classify
Serious eyes damage/eye irritation:	Cannot classify
Respiratory sensitization:	Cannot classify
Germ-cell mutagenicity:	Class 2
Carcinogenicity:	Class 2
Reproductive toxicity:	Class 1A
Specific target organ toxicity-single exposure:	Cannot classify
Specific target organ toxicity-repeated exposure:	Class 1 (Hematopoietic system, central nervous system, peripheral nervous system, cardiovascular system, immune system)
Aspiration hazard:	Cannot classify
Environmental hazards: Acute aquatic toxicity:	Cannot classify
Chronic aquatic toxicity:	Cannot classify

Label element

Pictogram



Signal word:

Danger

Hazard statement:

Suspected risk of genetic disease.

Suspected risk of cancer.

Risk of malign influence on reproductive functions or fetus.

Damage to the hematopoietic system, kidneys, central nervous system, peripheral nervous system, cardiovascular system, and immune system due to long-term or repeated exposure.

Precautionary statement: [Prevention]

When using the product, do not eat, drink, or smoke.

Use suitable protective equipment and ventilation equipment to avoid exposure.

Do not inhale the dust.

Wash hands thoroughly after handling.

Avoid discharging into the environment.

[Response]

If exposed or fear exposure, consult a physician and receive diagnosis treatment.

If feeling unwell, consult a physician and receive treatment.

[Storage]

Lock the storage location

[Disposal]

Entrust disposal of containers and contents to a specialist disposal processor who is licensed by the prefectural governor.

2-3.Tin: GHS classification

Physical hazards:	Explosives:	Outside scope of classification
	Flammable gases:	Outside scope of classification
	Flammable aerosols:	Outside scope of classification
	Oxidizing gases:	Outside scope of classification
	Gases under pressure:	Outside scope of classification
	Flammable liquids:	Outside scope of classification
	Flammable solids:	Cannot classify
	Selfe-reactive substances and mixtures:	Outside scope of classification
	Pyrophoric liquids:	Outside scope of classification
	Pyrophoric solids:	Cannot classify
	Self-heating substances and mixtures:	Cannot classify
	Substances and mixtures which, in contact with water, emit flammable gases:	Cannot classify
	Oxidizing liquids:	Outside scope of classification
	Oxidizing solids:	Outside scope of classification
	Organic peroxides:	Outside scope of classification
	Corrosive to metals:	Cannot classify
Health hazards:	Acute toxicity (oral):	Cannot classify
	Acute toxicity (dermal):	Cannot classify

Acute toxicity (inhalation: gases):	Outside scope of classification
Acute toxicity (inhalation: vapors):	Cannot classify
Acute toxicity (inhalation: dusts):	Cannot classify
Acute toxicity (inhalation: mists):	Outside scope of classification
Skin corrosion/ irritation:	Cannot classify
Serious eyes damage/eye irritation:	Cannot classify
Respiratory sensitization:	Cannot classify
Germ-cell mutagenicity:	Cannot classify
Carcinogenicity:	Cannot classify
Reproductive toxicity:	Cannot classify
Specific target organ toxicity-single exposure:	Cannot classify
Specific target organ toxicity-repeated exposure:	Class 1 (Lung)
Aspiration hazard:	Cannot classify
Environment hazard: Acute aquatic toxicity:	Cannot classify
Chronic aquatic toxicity:	Cannot classify

Label elements

Pictogram



Signal word

Danger

Hazard statement:

Damage to the lungs due to long-term or repeated exposure.

Precautionary statement:

[Safety measures]

Do not inhale the dust, vapor, fumes, or spray.

Wash hands thoroughly after handling.

When using the product, do not eat, drink, or smoke.

[Emergency measures]

If inhaled, and respiration is difficult, move to a location with fresh air, and rest in a posture that facilitates respiration.

If feeling unwell, consult a physician and receive treatment.

[Disposal]

Entrust disposal of containers and contents to a specialist disposal processor who is

licensed by the prefecture governor.

3. Composition / Information on ingredients

- 3-1. Substance or mixtures: Mixture (alloy)
- 3-2. Chemical name: Show alloy group in Clause 1.1.
Chemical composition: See the table below
- 3-3. Chemical formula or structural formula: None
- 3-4. Ordinance No. (PRTR Law and Industrial Safety and Health Law): See the table below
- 3-5. CAS No.: See the table below
- 3-6. Official publication reference No.: N/A

3-2.Elements	3-2. Composition (mass%)	3-4. Ordinance No. (Only substances subject to SDS Publication)				3-5. CAS No.
		PRTR Law		Industrial Safety and Health Law		
		0.1% max.	1% max.	0.1% max.	1% max.	
Copper (Cu)	57.0 to 61.0	—	—	379	—	7440-50-8
Lead (Pb)	1.8 to 3.7	—	304	411	—	7439-92-1
Iron (Fe)	0.5 max	—	—	—	—	7439-89-6
Tin (Sn)	1.0 max (Fe+Sn)	—	—	322	—	7440-31-5
Zinc (Zn)	Remainder	—	—	—	—	7440-66-6

4. First-aid measures

There is no information for mixtures (alloys), so information in units of the configuration elements are referenced for the description.

4-1.Copper

If inhaled: Move the victim to a location with fresh air, and make sure they rest in a pose that facilitates respiration.

If feeling unwell, consult a physician and receive treatment.

If on skin:

Remove contaminated clothing.

Wash skin promptly.

If feeling unwell, consult a physician and receive treatment.

Wash contaminated clothing before reuse.

If in eyes: Irrigate carefully for several minutes with water. Next, if wearing contact lenses that can be removed easily, remove the contact lenses. Thereafter, continue to wash. Consult a physician and receive treatment.

If swallowed: Rise out the mouth promptly, and immediately consult a physician for treatment.

Anticipated acute effects and anticipated delayed effects:

If inhaled: Eye and skin reddening, eye pain, cough, headache, shortness of breath, pharyngeal pain, stomach pain, nausea, and vomiting. Delayed onset symptoms: Metal fume fever.

Protection for first-aid providers:

First-aid providers must wear protective equipment appropriate for the circumstances.

Special notes to an attending physician:

Rest and medical observation over time are indispensable.

4-2. Lead

If inhaled: Move the victim to a location with fresh air, and make sure they rest in a pose that facilitates respiration.

If feeling unwell, consult a physician and receive treatment.

If on skin: Remove contaminated clothing.

Wash skin promptly.

If feeling unwell, consult a physician and receive treatment.

Wash contaminated clothing before reuse.

If in eyes: Irrigate carefully for several minutes with water. Next, if wearing contact lenses that can be removed easily, remove the contact lenses. Thereafter, continue to wash.

Consult a physician and receive treatment.

If swallowed: Rise out the mouth promptly, and immediately consult a physician for treatment.

Anticipated acute effects and anticipated delayed effects:

Stomach cramps, drowsiness, headache, nausea, vomiting, fatigue, wheezing, pallor, hemoglobinuria, and lethargy.

Most important signs and symptoms:

No description.

Protection for first-aid providers:

First-aid providers must wear protective equipment appropriate for the circumstances.

Special notes to an attending physician:

Rest and medical observation over time are indispensable.

4-3. Tin

If inhaled: Move the victim to a location with fresh air, and make sure they rest in a pose that facilitates respiration.

Consult a physician and receive treatment.

Special measures (When the dosage of the antidote is urgently necessary, refer to supplementary emergency measure instructions.)

If on skin: Wash skin promptly.

If feeling unwell, consult a physician and receive treatment.

Wash contaminated clothing before reuse.

If in eyes: Irrigate carefully for several minutes with water.

Consult a physician and receive treatment.

Special measures (When the dosage of the antidote is urgently necessary, refer to supplementary emergency measure instructions.)

If swallowed: Rise out the mouth promptly.

Consult a physician for treatment.

Special measures (When the dosage of the antidote is urgently necessary, refer to supplementary emergency measure instructions.)

Anticipated acute effects and anticipated delayed effects:

If inhaled: Steam and the mist stimulate the lungs and the upper respiratory tract.

If on skin: It stimulates skin.

If in eyes: It stimulates a mucous membrane.

5. First-fighiting measures

There is no information for mixtures (alloys), so information in units of the configuration elements are referenced for the description.

5-1. Copper

Extinguishing media: Special powder retardants and dry sand.

Unsuitable extinguishing media:

Water jet, foam extinguisher, and CO₂.

Specific hazards: There is a risk of irritant, poisonous, or corrosive gas or fumes being emitted by fire.
Using water on metal fires may emit hydrogen gas.

Specific extinguishing methods:

Move the container from the region on fire if there is no danger.

Ideally, sealant methods and oxygen starvation methods should be used for metal fires.

Protection of firefighters: When firefighting, wear suitable breathing equipment and (heat-resistant) chemical protective clothing.

5-2. Lead

Extinguishing media: The product itself is not flammable.

Unsuitable extinguishing media:

Rod infusers, foam extinguisher, and CO₂.

Specific hazards: There is a risk of irritant or poisonous gas being emitted due to fire.

Specific extinguishing methods:

Move the container from the region on fire if there is no danger.

Protection of firefighters: When firefighting, wear suitable breathing equipment and (heat-resistant) chemical protective clothing.

5-3. Tin

Extinguishing media: Special powder retardants and dry sand.¹⁾

Unsuitable extinguishing media:

Other fire extinguishing drugs are the ban on use.¹⁾

Specific hazards: Flammable.¹⁾ When it is powdered, there is the risk that a dust explosion happens.

¹⁾

Specific extinguishing methods:

The fire fighting takes enough distance that it is possible effectively, and performs it.
Move the container from the region on fire if there is no danger. When you cannot travel the container, you water a container and area around it, and cool it off. After fire extinguishing, cool a container using a large quantity of water enough.

Protection of firefighters: When firefighting, wear suitable breathing equipment and (heat-resistant) chemical protective clothing.

6. Accidental release measures

There is no information for mixtures (alloys), so information in units of the configuration elements are referenced

for the description.

6-1. Copper

Personnel precautions, protective equipment, and measures during emergencies:

Prohibit admission to all non-essential personnel.

Do not touch or walk through any leaking material.

Workers must wear protective equipment (See "8. Exposure Prevention and Protection Measures"), avoid gas and fume inhalation, and contact with the eyes and skin.

Environmental precautions:

Be careful not to discharge into rivers, or to affect the environment.

Recovery and neutralization:

Sweep together any spills and collect in a sealable container before discarding.

Methods and materials for containment and cleaning up:

Stop the leak if there is no danger.

Secondary disaster prevention measures:

Promptly remove all ignition sources and flammable substances. (Smoking, fireworks, and naked flames in the vicinity are prohibited.) Prevent inflow to drainage ditches, sewers, basements, or sealed locations.

6-2. Lead

Physical precautions protective equipment, and emergency measures:

Prohibit admission to all non-essential personnel.

Do not touch or walk through any leaking material.

Workers must wear protective equipment (See "8. Exposure Prevention and Protection Measures"), avoid gas, dust and fume inhalation, and contact with the eyes and skin.

Environmental precautions:

Be careful not to discharge into rivers, or to affect the environment.

Recovery and neutralization:

Wipe up any leaks and collect in a sealable empty container before implementing disposal processing.

Methods and materials for containment and cleaning up:

Stop the leak if there is no danger.

Secondary disaster prevention measures:

Residue on the floor risks slipping, so process assiduously.

6-3.Tin

Physical precautions protective equipment, and emergency measures:

Do not touch or walk through any leaking material.

Immediately move to a suitable distance in all directions as a leakage area.

Workers must wear protective equipment (See "8. Exposure Prevention and Protection Measures"), avoid gas and contact with the eyes and skin.

If fire is not occurring with the spillage, wear highly sealed and no-permeable protective clothing.

Stay on the windward side.

Keep away from low grounds.

Broken containers or the spillage must not be touched without wearing appropriate protective clothing.

Environmental precautions:

Be careful not to discharge into rivers, or to affect the environment.

Not release it in environment.

Recovery and neutralization:

If the amount of spillage is small, collect the spillage into a dry, clean container using a clean antistatic equipment, cover the top loosely, and dispose of it afterwards.

If there is a large amount of spillage, wet with water and set up protective fences, then dispose of it afterwards.

Methods and materials for containment and cleaning up:

Stop the leak if there is no danger.

Secondary disaster prevention measures:

Promptly remove all ignition sources and flammable substances. (Smoking, fireworks, and naked flames in the vicinity are prohibited.)

Residue on the floor risks slipping, so process assiduously.

7. Handling and storage

There is no information for mixtures (alloys), so information in units of the configuration elements are referenced

for the description.

7-1. Copper

<Handling>

Technical measures: Install equipment measures as described in “8. Exposure controls and personal protection”, and wear protective equipment.

Local / total ventilation: Implement local ventilation and total ventilation as described in “8. Exposure controls and personal protection”.

Precautions for safe handling:

Conforming to “2.Hazards identification”.

Prevention of contact: Refer to “10. Stability and Reactivity”.

<Storage>

Incompatible materials: Refer to “10. Stability and Reactivity”.

Storage conditions: Avoid locations with sudden temperature changes and high humidity when storing.

7-2.Lead

<Handling>

Technical measures: Install equipment measures as described in “8. Exposure controls and personal protection ”, and wear protective equipment.

Local / total ventilation: Implement local ventilation and total ventilation as described in “8. Exposure controls and personal protection”.

Precautions for safe handling:

Conforming to 2.

Prevention of contact: Refer to “10. Stability and Reactivity”.

<Storage>

Incompatible materials: Refer to “10. Stability and reactivity”.

Safe storage conditions: Store away from oxidants.

Lock the storage location.

Container and packing materials:

Although there are no packing or container regulations, place in a sealable, undamaged container.

7-3.Tin

<Handling>

Technical measures: Install equipment measures as described in "8. Exposure controls and personal protection ", and wear protective equipment.

Local / total ventilation: Implement local ventilation and total ventilation as described in "8. Exposure controls and personal protection ".

Precautions for safe handling:

Conforming to 2.

Prevention of contact: Refer to "10. Stability and reactivity".

<Storage>

Incompatible materials: Refer to "10. Stability and reactivity".

Safe storage conditions: Store away from heat, sparks, naked flames, and other ignition sources.

No smoking.

Store away from oxidants.

Store in a cool, well-ventilated location.

Securely seal the containers.

Lock the storage location.

8. Exposure controls and personal protection

There is no information for mixtures (alloys), so information in units of the configuration elements are referenced for the description.

8-1. Copper

Administrative level: Not specified.

Permissible limit (Exposure limits and biological exposure indices)

- Japan Society for Occupational Health (2005 version):

Not specified.

- ACGIH (2005 version): TLV-TWA 0.2 mg/m³ (as fumes)

TLV-TWA 1 mg/m³ (as dust or mist)

Facility measures: To maintain the concentrations in air at or below the recommended tolerable concentrations, seal all processes, and use local air filters and other equipment countermeasures.

Protective equipment

- Respirator protection: Wear suitable respirator protective equipment.

- Hand protection: Wear suitable protective gloves.
- Eye protection: Protective goggles (regular glasses, regular glasses with lateral plates, or goggles)
- Skin and body protection:
Wear protective equipment such as protective clothing and safety boots, etc.

8-2. Lead

Administrative level: 0.05 mg/m³ (lead and its compounds, as lead)

Permissible limit (Exposure limits and biological exposure indices)

- Japan Society for Occupational Health (2005 version):
0.1 mg/m³ lead and its compounds, excluding alkyl lead, as lead.
- ACGIH (2005 version): TLV-TWA 0.05 mg/m³ (A3; BEI lead and its inorganic compounds, as lead)

Facility measures: Install eyewash containers and safety showers in worksites where the substance is stored and handled.

Implement ventilation to make sure the airborne concentration remains below the recommended tolerable concentration.

Protective equipment

- Respirator protection: Wear suitable respirator protective equipment.
- Hand protection: Wear suitable protective gloves.
- Eye protection: Wear protective equipment for eyes and face.
- Skin and body protection:
Wear protective equipment such as protective clothing and safety boots, etc.

Hygiene measures: Wash hands thoroughly after handling.

8-3. Tin

Administrative level: Not specified.

Permissible limit (Exposure limits and biological exposure indices)

- Japan Society for Occupational Health (2005 version):
Not specified.
- ACGIH (2005 version): TLV-TWA 2 mg/m³

Facility measures: Use explosion-proof electrical, ventilation, and lighting equipment.

Install eyewash containers and safety showers in worksites where the substance is stored and handled.

Implement ventilation to make sure the airborne concentration remains below the

recommended tolerable concentration.

Implement ventilation to make sure the airborne concentration remains below the recommended tolerable concentration if dust or fumes are caused during high-temperature processes.

Protective equipment

- Respirator protection: Wear specified respirator protective equipment.
- Hand protection: Wear suitable protective gloves.
- Eye protection: Wear protective equipment for eyes and face.

Wear protective equipment for eyes and face. Wear safety glasses. If there is a risk that the substance may come in contact with the eyes or face due to scattering or spraying, general chemical splash goggles and face shields must be worn.

- Skin and body protection

Wear protective equipment such as protective clothing and boots, etc.

9. Physical and chemical properties: Fields marked with "---" in the table indicates no data.

	Free-cutting brass	Configuration element				
	C3604	Cu	Pb	Fe	Sn	Zn
9-1.Appearance of achemical product, • physical state and color	Lustrous golden solid	—	—	—	—	—
• form	Depends on product shape	—	—	—	—	—
• odor	None	—	—	—	—	—
9-2.pH,with indication of the concentration	—	—	—	—	—	—
9-3.Melting point (°C)	885	—	—	—	—	—
9-4.Dissolution temperature	—	—	—	—	—	—
9-5.Ignition Point	—	—	—	—	—	—
9-6.Flash point	—	—	—	—	—	—
9-7.Explosion limits	—	—	—	—	—	—
9-8.Vapor pressure (Pa)	—	—	—	—	—	—
9-9.Boiling point (°C)	—	2582	1750	2860	2625	907
9-10.Relative density	8.50	—	—	—	—	—
9-11.Solubility	—	—	—	—	—	—
9-12.N-octanol /water partition coefficient	—	—	—	—	—	—
9-13.Other data (Radioactivity,bulk density, etc.)	—	—	—	—	—	—

10.Stability and reactivity

There is no information for mixtures (alloys), so information in units of the configuration elements are referenced

for the description.

10-1. Copper

Stability: Turns green when exposed to damp air.
Compounds sensitive to shock are formed by acetylene compounds, ethylene oxides, and azides.

Possibility of hazardous reactions:

Reacts with oxides (chlorates, bromates, and iodates, etc.), so there is a risk of explosion.

Conditions to avoid: Contact with humidity and hazardous mixtures.

Incompatible materials: Acetylene compounds, ethylene oxides, azides, oxides (chlorates, bromates, and iodates, etc.)

Hazardous decomposition products:

CO, CO₂, and copper fumes when burned.

10-2. Lead

Stability: Reacts with pure water and weak organic acids in the presence of oxygen.

Possibility of hazardous reactions:

No dangerous or harmful reactions under normal conditions.

Reacts with concentrated nitric acid at high temperatures, boiling concentrated chlorine, and concentrated sulfuric acid.

Reacts with fluorine and chlorine at room temperature.

Conditions to avoid: Mixing powder or granules with air may cause dust explosions.

Incompatible materials: Oxidants.

Hazardous decomposition products:

May emit poisonous fumes or gas when heated.

10-3. Tin

Stability: Stable at room temperature and in air.

The affinity to oxygen is low, and the color of the substance does not change in dry air at room temperature.

Not oxidized is or below 200°C. In higher temperature, SnO₂ membrane is formed on the surface.

Possibility of hazardous reactions:

Reacts with strong oxidizers , acids, strong bases , halogens ,sulfur, etc.

Reacts quickly with halogens to produce tin halide.

Reacts slowly with alkali at low temperature, and rapidly at high temperature.

Conditions to avoid: Scattering of dust.

Incompatible materials: Strong oxidizers, acids, strong bases halogens ,sulfur ,etc.

Hazardous decomposition products:

Not applicable (Element).

11. Harmfulness Information

There is no information for mixtures (alloys), so information in units of the configuration elements are referenced for the description.

11-1. Copper

Acute toxicity Oral: Rabbits LDL_0 120 $\mu\text{g}/\text{kg}$ ³⁾

Skin irritation / corrosion: Contact with skin causes reddening symptoms. ¹⁴⁾

Eye damage / irritation: Contact with eyes causes reddening. Causes painful symptoms. ¹⁴⁾

Acts as an irritant. ¹⁰⁾

Respiratory or skin sensitization:

Respiratory organ sensitization:

No data.

Skin sensitivity:

The Japan Society for occupational health classified this as skin sensitization group 2 (a substance thought probably to sensitize humans), but The Japanese Society for Dermatoallergy and Contact Dermatitis has no classification.

Reproductive cell mutagenicity:

No data.

Carcinogenicity: EPA classifies this as group D (substance that cannot be classified as carcinogenic to humans).

Reproductive toxicity: No data.

Specific target organ toxicity (single exposure):

Fumes irritate the upper airway. ¹³⁾

Thought to be an airway irritant.

Risk of irritation to the respiratory organs (class 3)

Specific target organ toxicity (repeated exposure):

Hepatomegaly identified in workers exposed to high airborne concentrations (estimated ingestion 200 mg/day). ¹¹⁾

Nerve damage due to long-term or repeated exposure (class 1)

Aspiration hazard: No data.

11-2. Lead

Acute toxicity: Oral: No information.

Dermal: No information.

Inhalation (dust): No information.

Skin irritation / corrosion: No information.

Eye damage / irritation: No information.

Respiratory or skin sensitization:

Respiratory organ sensitivity:

No information.

Skin sensitivity: No information.

Reproductive cell mutagenicity:

Results have been obtained that contradict the chromosome abnormalities in the peripheral blood lymphocytes of people who work with lead, but as there are reports of chromosome abnormalities and micronucleus induction effects in lead itself ^{23), 37), 20), 10)}, the substance was designated class 2.

Carcinogenicity: Classified as B ^{23), 30)} and A3 ¹⁰⁾, and as B2 by the EPA.

Suspected risk of carcinogenesis (class 2)

IARC group 2 (might be carcinogenic in humans)

Reproductive toxicity: Designated class 1A as there are reports of cases of human exposure affecting spermatogenesis ^{37), 20), 8), 23)}, and reports that ovulation function failure has been observed in cases of exposure among female EHC workers.

Although there are reports of connections to cognitive function development impairment in newborns ^{10), 20), 8), 23)}, and connections to increased spontaneous abortions ^{20), 8)}, no clear conclusions have been obtained.

Risk of malign influence on reproductive functions or fetus (class 1A)

Specific target organ toxicity (single exposure):

Despite reports of cases in which renal function failure has been identified in humans

with acute poisoning ²⁰⁾, the same source also reports that there was no renal failure in subsequent epidemiological surveys.

Specific target organ toxicity (repeated exposure):

From reports that the marker organs are the hematopoietic system, nervous system, and the kidneys and the cardiovascular system²⁰⁾, reports that heme synthesis impairment, nephropathy, and encephalopathy have been observed in cases of human exposure ^{37), 10), 8), 23)}, reports of the peripheral nerves and central nervous functions have been affected in cases of human exposure ^{37), 10), 8)}, reports of effects such as hypertension on the cardiovascular system in cases of human exposure ^{37), 10)}, and reports that immunosuppressive actions have been observed in cases of human exposure ⁸⁾, the marker organs are thought to be the hematopoietic system, liver, CNS, peripheral nervous system, cardiovascular system, and immune system, all of which have been designated class 1.

Although there are descriptions of case reports of reduced thyroid gland and adrenal functions in EHC, both these case reports are from before 1970, and there have been no similar reports subsequently, and as DFGOT describes no effects on the thyroid gland ²⁰⁾, the thyroid and adrenal glands are not thought to be marker organs.

Impairment of the hematopoietic system, kidneys, CNS, peripheral nervous system, cardiovascular system, and immune system due to long-term or repeated exposure (class 1)

Aspiration hazard: No data.

11-3.Tin

Acute toxicity:	Oral:	No information.
	Dermal:	No information.
	Inhalation (gas):	Solid according to GHS definitions.
	Inhalation (vapor):	No data.
	Inhalation (dust, mist):	No data.

Skin irritation / corrosion: No information.

Eye damage / irritation: No information.

Respiratory or skin sensitization:

Respiratory organ sensitivity:

No information.

Skin sensitivity: No information.

Reproductive cell mutagenicity:

No information.

Carcinogenicity: Cannot evaluate due to insufficient data.

Reproductive toxicity: No information.

Specific target organ toxicity (single exposure):

No definite data available.

Specific target organ toxicity (repeated exposure):

Coniosis was observed in workers handling metallic tin.

Long-term exposure to this substance may cause being coniosis (stannosis).

Organ damage from long-term or repeated exposure (Class 1)(Lungs)

Long-term or repeated exposure cause renal disorders.

Long-term or repeated exposure cause lung disorders.

Aspiration hazard: No data.

12. Ecological Information

There is no information for mixtures (alloys), so information in units of the configuration elements are referenced for the description.

12-1. Copper

Acute aquatic environmental harm:

Cannot classify due to insufficient data.

Chronic aquatic environmental harm:

Despite the existence of $L(E)C_{50} \leq 100$ mg/L data, as this is a metal and its actions in water are unknown, it was designated class 4.

12-2. Lead

Acute aquatic environmental harm:

No information.

Chronic aquatic environmental harm:

No information.

12-3. Tin

Acute aquatic environmental harm:

Cannot classify due to insufficient data.

Chronic aquatic environmental harm:

Cannot classify due to insufficient data.

13. Disposal consideration

There is no information for mixtures (alloys), so information in units of the configuration elements are referenced for the description.

13-1. Copper

Waste from residual: Follow the relevant laws and local government standards for waste disposal. Entrust disposal to and industrial waste contractor or local public body that is authorized by the prefectural governor where available. If outsourcing waste disposal, thoroughly notify the contractors of the dangers and harmfulness before outsourcing.

Contaminated container and contaminated packaging:

Either clean and recycle the containers, or dispose of them suitably according to the relevant laws and regulations, and local government standards.

When disposing of empty containers, make sure to discard the contents completely.

13-2. Lead

Waste from residual: Follow the relevant laws and local government standards for waste disposal. Entrust disposal to and industrial waste contractor or local public body that is authorized by the prefectural governor where available. If outsourcing waste disposal, thoroughly notify the contractors of the dangers and harmfulness before outsourcing. Substances in an elemental state can be reused, so recover them.

Contaminated container and contaminated packaging:

Either clean and recycle the containers, or dispose of them suitably according to the relevant laws and regulations, and local government standards.

When disposing of empty containers, make sure to discard the contents completely.

13-3.Tin

Waste from residual: Follow the relevant laws and local disposal regulation. Entrust disposal to and industrial waste contractor or local public body that is authorized by the prefectural governor where available. If outsourcing waste disposal, thoroughly notify the contractors of the dangers and harmfulness before outsourcing. Substances in an elemental state can be reused, so recover them. Do not discharge the waste liquid containing this substance and waste liquid after washing directly into waterways or bury or dispose of the unprocessed products.

Contaminated container and contaminated packaging:

Either clean and recycle the containers, or dispose of them suitably according to the relevant laws and regulations, and local government standards.

When disposing of empty containers, make sure to discard the contents completely.

The method of disposing of spray cans differ for each local government. Disposal must be conducted according to the regulations of the relevant local government.

14. Transport information

There is no information for mixtures (alloys), so information in units of the configuration elements are referenced for the description.

14-1. Copper

<International regulations>

Information on marine transport regulation: Non-dangerous substance.

• UN number: Not applicable.

Information on air transport regulation: Non-dangerous substance.

• UN number: Not applicable.

<Japanese regulations>

Information on road transport regulation: No special regulations.

Information on marine transport regulation: Non-dangerous substance.

Information on air transport regulation: Non-dangerous substance.

14-2. Lead

<International regulations>

Information on marine transport regulation: Non-dangerous substance.

• UN number: Not applicable.

Information on air transport regulation: Non-dangerous substance.

• UN number: Not applicable.

<Japanese regulations>

Information on road transport regulation: Not applicable.

Information on marine transport regulation: Non-dangerous substance.

Information on air transport regulation: Non-dangerous substance.

14-3.Tin

<International regulations>

Information on marine transport regulation: Non-dangerous substance.

• Marine pollutants: Not applicable.

• UN number: Not applicable.

Information on air transport regulation: Non-dangerous substance.

• UN number: Not applicable.

<Japanese regulations>

Information on road transport regulation: Not applicable.

Information on marine transport regulation: Non-dangerous substance.

• Marine pollutants: Not applicable.

Information on air transport regulation: Non-dangerous substance.

15. Regulation information

This product (wrought copper and copper-based alloy products) are solid metal products, and the obligation to submit SDS documents according to the Pollutant Release and Transfer Register (PRTR) law and the Industrial Safety and Health Law (for chemical substances) does not apply. The configuration element unit information is described below for reference.

15-1. Copper

Occupational Health and Safety Law (OHSL):

Materials to be notified.

(Law Paragraph 57, and edict Paragraph 18.2 Table 9)

(Edict No. 379)

15-2. Lead

Occupational Health and Safety Law (OHSL):

Materials to be notified.

(Law paragraph 57, and edict paragraph 18.2 table 9)

(Edict No. 411)

Lead (Edict table No. 4 and lead poisoning prevention regulations paragraph 1.1)

Law Concerning Reporting, etc., of Releases to the Environment of Specific Chemical Substances and Promoting Improvements in their Management:

Type 1 designated chemical substance.

Pollutant Release and Transfer (PRTR) Law:

(Law paragraph 2.2, edict paragraph 1, appendix table 1)

(Edict No. 304)

Labor Standards Law:

Toxic chemicals

(Law paragraph 75.2, edict paragraph 35 table 1.2.4)

Air Pollution Control Act:

Harmful substance

(Edict paragraph 1)

Water Pollution Prevention Act:

Harmful substance

(Edict paragraph 2, Ministerial Ordinance for Sewage Standards Paragraph 1)

Soil Contamination Countermeasures Act:

Special harmful substance

(Law paragraph 2.1, edict paragraph 1)

15-3. Tin

Occupational Health and Safety Law (OHSL):

Materials to be notified.

(Law paragraph 57, and edict paragraph 18.2 table 9)

(Edict No. 322)

16. Other Information (References)

16-1. Copper

<References>

- 1) Ullmanns (E) (5th edition, 1995)
- 2) Contamination Dangers Handbook (2nd edition, 1997)
- 3) RTECS (2005)
- 4) ICSC (J) (1993)
- 5) Sax (8th edition, 1992)
- 6) Lange (14th edition 1992)
- 7) Gangolli (1st edition 1993) vol. 2
- 8) Lide (85th edition, 2004-2005)
- 9) SRC (Access on Jul 2005)
- 10) PATTY (4th edition, 1994)
- 11) EHC200 (1998)
- 12) EPA (IRIS (Access on Jul 2005))
- 13) ACGIH (7th edition, 2001)
- 14) Handbook of Danger and Harmful Chemical Substances, Japan Industrial Safety and Health Association (1992)
- 15) Booklet of the Threshold Limit Values and Biological Exposure Indices, 6th edition; Japan Chemical Industry Ecology-Toxicology & Information Center (2004)
- 16) GHS Classification Results (Sumika Technical Information Service, Inc.)
- 17) Japan Chemical Industry Association, "Emergency Measures and Policies, Container Yellow Card (Labeling)"
- 18) Japan Chemical Industry Association, "Chemical Substances Control Law Regulations Search System" (CD-ROM) (2005)
- 19) Japan Chemical Database Ltd., "Comprehensive Chemicals Database" (2005)
- 20) Safety Database (revised and expanded supplementary edition, 1997)
- 21) JETOC, "Collection of Existing Chemical Substance Safety Inspection Data for the Chemical Substances Control Law"
- 22) Ministry of the Environment, "Chemical Substances Ecological Impact Tests"

16-2. Lead

<References>

- 1) ICSC (2002)
- 2) Merck (13th edition, 2001)
- 3) IMDG (2004)

- 4) Hommel (1991)
- 5) SRC (2005)
- 6) HSDB (2003)
- 7) Lange (16th edition, 2005)
- 8) Patty, 5th edition (2001)
- 9) IUCLID (2000)
- 10) ACGIH, 7th edition (2001)
- 11) RTECS (2005)
- 12) HSDB (2001)
- 13) SITTIG (47th edition, 2002)
- 14) ICSC (J) (1997)
- 15) Chapman (2005)
- 16) Lange (16th edition, 2005)
- 17) GESTICS (2005)
- 18) Howard (1997)
- 19) Weiss (2nd edition, 1985)
- 20) DFGOT, vol. 17 (2002)
- 21) Verschueren (4th edition, 2003)
- 22) CERl Hazard Data Collection (2002)
- 23) IARC Monographs Supplement 7 (1987)
- 24) SIDS (1997)
- 25) ECETOCTR (1998)
- 26) ATSDR (1998)
- 27) CaPSAR (1999)
- 28) SIDS (1997)
- 29) Sax (11th edition, 2004)
- 30) Japan Society for Occupational Health recommendations (2004)
- 31) Dictionary of Organic Compounds
- 32) IRIS (2004)
- 33) Ministry of the Environment Risk Evaluations Vol. 3 (2004)
- 34) Japanese Society of Allergology (2004)
- 35) EHC174 (1995)
- 36) EU-Annex I

37) EHC3 (1977)

16-3.Tin

<References>

- 1) ICSC (J) (2004)
- 2) Homme (1991)
- 3) Weiss (2nd edition, 1985)
- 4) HSDS (2003)
- 5) Hazardous Substances DB (2nd edition, 1993)
- 6) ESC SYRESS
- 7) ACGIH (2001)
- 8) DFGOT vol.6 (1994)
- 9) RTECS (2004)
- 10) ACGIH-TLV (2005)
- 11) NTP (11th edition, 2005)
- 12) Howard (1997)
- 13) UNRTDG (13th edition, 2004)
- 14) SIDS (2002)
- 15) ECETOC TR4 (1982)
- 16) SRC (2005)
- 17) GESTIS (2005)
- 18) PATTY (5th edition, 2001)
- 19) AQUIRE (2003)
- 20) Merck (13th edition, 2001)
- 21) CERH Hazard Data Collection (2002)
- 22) BUA 68 (1991)
- 23) TOXCENTER (Access on Feb 2005)
- 24) Sax (11th edition, 2004)
- 25) ECETOC TR48 (1998)
- 26) IUCLID (2000)
- 27) IARC vol.71 (1999)
- 28) ACGIH (2003)
- 29) RTECS (VZ200000) HSDB Full record
- 30) Japan Society for Occupational Health recommendations (2005)
- 31) IARC39 (1986)
- 32) IRIS (1998)
- 33) EHC 15 (1980)
- 34) EHC (J) 134 (1997)
- 35) Renzo (3rd edition, 1986)
- 36) Solvent Pocket Book (1997)
- 37) Lange (16th edition, 2005)
- 38) Chapman (2005)
- 39) Ministry of the Environment Risk Evaluations Vol.3 (2004)
- 40) Contamination Dangers Handbook (2nd edition, 1997)
- 41) ATSDR (1997)

- 42) BSDB (2005)
- 43) CAMD (Access on May 2005)
- 44) J Occup Health 45:137-139 (2003)
- 45) Eur Respr J.25(1):201-204 (2005)
- 46) DFGOT vol.12 (1999)
- 47) NICNAS (1999)
- 48) EU Annex I (2005)
- 49) Lide (85th edition, 2004)
- 50) EU-RAR (2005)
- 51) HSDB (2005)
- 52) ICSC (1999)
- 53) The Report of the Ministry of Health, Labour and Welfare (2005)
- 54) ESIS Data Base (2005)

The Materials Safety Data Sheet is supplied to workers handling hazardous chemical products as reference information to assure safe handling. Make sure the workers engaged in handling understand the importance of suitable measures depending the on individual handling circumstances, etc., and that they are themselves responsible for referencing the MSDS before use. Consequently, this datasheet is not a guarantee of safety.